MEDICAL LABORATORY SCIENCES

INDEXES

Volume 41 1984

SUBJECT INDEX

A

A_2B with monoclonal anti-A. Automated blood grouping with Autogrouper 16 C: inter-channel variations and the effect on detection of . . . 12
Aciduria. Organic . . . 79
'African' tubercle bacilli. *Mycobacterium africanum* and the . . . 410
Alkaline phosphatase. Immunoenoenzymatic assay of carcinoplacental . . . 29
Amino acid pool and exopeptidases of cultured human diploid fibroblasts. Effects of mycoplasma contamination on the intra-cellular free . . . 150
Amylase creatinine clearance ratio in the differential diagnosis of pancreatic disease. An investigation of the usefulness of the . . . 77
Anaemia. A direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic . . . 232
Antibiotics – the way ahead. Today's . . . 173
Antibodies directed against platelet membrane components on platelet aggregation *in vitro*. The effect of . . . 82
Antibodies. Localization of tumours using radiolabelled . . . 267
Antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system. The new McCoy . . . 3
Antigens: recent advances in detection, characterization and diagnostic usefulness. Leukemia-associated . . . 55
Antiglobulin test. The canine . . . 63
Antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia. A direct enzyme-linked . . . 232
Antithrombin III screening: necessity or extravagance . . . 262
Assay of carcinoplacental alkaline phosphatase. Immunoenzymatic . . . 29
Assay of ristocetin cofactor: experience with a platelet counting technique . . . 38
Assays. Clinical aspects of steroid receptor . . . 257
Assays for pre-transfusion testing. Semi automated solid phase adherence . . . 374
Assessment of the single radial haemolysis technique for the demonstration of viral antibody . . . 193
Authorship of scientific papers. Multiple . . . 1
Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A. Automated blood grouping with . . . 12
Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A . . . 12
Automated blood grouping. Quality control with . . . 87
Automated continuous-flow analysis of total protein in urine . . . 66
Automated reading of blood groups using microplates. Computer controlled . . . 19
Auto-immune haemolytic anaemia. A direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in . . . 232

B

Baby unit. Clinical assessment of ICA 1 (Radiometer) in a special care . . . 195
Bacteria in blood cultures. Head-space gas chromatography as a potential means for detecting and identifying . . . 192
Bacteriology in developing countries. Tuberculosis . . . 400
Beta haemolytic streptococci: single colony grouping by a rapid, simplified coagglutination technique . . . 52
Biken test. Detection of heat-labile enterotoxins of *Escherichia coli* using the . . . 146
Binding interaction between human factor VIII and hepatitis B surface antigen. . . . 46
Blood coagulation testing. Quality assurance in haematology and . . . 207
Blood collection tubes: a cautionary note. Evacuated . . . 86
Blood collection tubes. Evacuated. . . . 307
Blood control for Coulter^{TM} electronic particle counters. A whole . . . 209
Blood culture. Head-space gas chromatography as a potential means for detecting and identifying bacteria in . . . 192
Blood in developing countries. Optimal use of . . . 382
Blood group system. The new McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops . . . 3
Blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A. Automated . . . 12
Blood grouping. Quality control with automated . . . 87

Blood groups using microplates. Computer controlled automated reading of 19
Blood transfusion services in developing countries. Provision of 321
Blood transfusion support in the emergency situation. Distant 386
Bone marrow aspirate reports. A simple questionnaire for use in computerizing 291
Book Reviews:
A Colour Atlas of Bacillus Species – *J. M. Parry, P. C. B. Turnbull, J. R. Gibson* 418
A Guide to Data Processing in Clinical Laboratories – *A. De Bates and J. O'Meara* 314
A Guide to Laboratory Transfusion Practice – *D. S. Smith* 197
A Laboratory Guide to Clinical Diagnosis. 5th Edition – *R. D. Eastham* 96
ABC of Computing – *A. J. Asbury (Editor)* 314
Administration and Supervision in Laboratory Medicine – *J. R. Snyder and A. R. Larsen (Editors)* 205
Analytical Biochemistry – *D. J. Holme and H. Peck* 310
Antibiotics and Infection – *S. C. Edberg, S. A. Berger* 316
Blood Cell Volume Analysis – A New Screening Technology for the Technologist – *R. M. Rowan* 312
Clinical Biochemistry of Steroid Hormones. Methods and Applications – *J. K. Grant and G. H. Beastall* 310
Clinical Chemistry: Interpretation and Techniques. 2nd Edition. *A. Kaplan and L. L. Szabo* 309
Clinical Enzymology. Volume 3 – *G. Kaldor* 311
Collection and Handling of Laboratory Specimens: A Practical Guide – *J. M. Slockbower and T. A. Blumefeld (Editors)* 204
Connective Tissue Diseases – *B. M. Wagner, R. Fleischmajer and N. Kaufman (Editors)* . . 200
Copy-Editing. 2nd Edition – *J. Butcher* 206
Essential Clinical Virology – *R. G. Sommerville* 203
Genetics of Influenza Viruses – *P. Palese and D. W. Kingsbury (Editors)* 318
Immunofluorescence in Medical Science – *A. Kawamura and Y. Aoyama (Editors)* . . . 315
Immunological Investigation of Human Virus Diseases – *D. M. McLean* 202
Immunological Investigation of Lymphoid Neoplasms – *G. T. Stevenson, J. L. Smith, T. J. Hamblin* 315
Immunology: An Outline for Students of Medicine and Biology – *D. M. Weir* 201
Infectious Complications of Blood Transfusion – *E. Tabor* 89
Information Resources Guide to Words and Phrases Used in the Pharmaceutical Industry – *P. Hamilton (Editor)* 206
Interferons: From Molecular Biology to Clinical Application – *D. C. Burke and A. G. Morris (Editors)* 202
Interpretation of Pediatric Tests: A handbook synopsis of pediatric, fetal and laboratory medicine – *J. Wallach* 419
Introduction to Wordstar™. 2nd Edition – *A. Naiman* 315
Laboratory Evaluation of Haemostasis and Thrombosis – *M. S. Sirridge and R. Shannon* . . 93
Laboratory Investigation of Endocrine Disorders. 2nd Edition – *M. R. Wills and B. Harvard* 91
Laboratory Medicine/Urinalysis and Medical Microscopy. 2nd Edition – *J. A. Freeman and M. F. Beeler* 198
Laboratory-acquired Infections – *C. H. Collins* 94
Lynch's Medical Laboratory Technology. 4th Edition – *S. S. Raphael* et al. 419
Manual of Laboratory Pharmacokinetics – *S. H. Curry and R. Whelpton* 205
Measurements of Platelet Function. Methods in Haematology Series. No. 8 – *L. A. Harker and T. S. Zimmerman (Editors)* 313
Medical Histology: A Text-Atlas with Introductory Pathology – *R. L. Bacon and N. R. Niles* 199
Medical Microbiology. 5th Edition. – *C. G. A. Thomas* 92
Methods of Enzymatic Analysis. Volume 1. Fundamentals. 3rd Edition – *H. U. Bergmeyer* 91
Methods of Enzymatic Analysis. Vol III. Enzymes I: Oxidoreductases, Transferases – *H. U. Bergmeyer (Editor)* 311
Methods in Enzymology. Volume 92. Immunochemical Techniques. Part E. Monoclonal Antibodies and General Immunoassay Methods – *J. J. Langone and H. Van Vunakis (Editors)* 92
Methods in Enzymology. Vol. 93. Immunochemical Techniques. Part F. Conventional Antibodies, Fc Receptors and Cytotoxicity – *J. J. Langone and H. Van Vunakis (Editors)* 418
Methods in Haematology. Volume 9, Immune Cytopenias – *R. McMillan (Editor)* 198
Microanalysis in Medical Biochemistry. 6th Edition – *I. D. P. Wootton and H. Freeman* . . 90
Microbiology in Blood Transfusion – *J. A. J. Barbara* 89

Microbiology in Health and Disease – *M. Frobisher and R. Fuerst* 202
Microbiology in Practice. 3rd Edition – *L. Beisbir* 94
Monographs on Atherosclerosis. Volume II – *T. B. Clarkson, D. Kritchevsky, O. J. Pollak (Editors)* 92
Monographs on Pathology of Laboratory Animals – Endocrine System – *T. C. Jones, V. Mohr and R. D. Hunt (Editors)* 201
Pathology Annual, Volume 18. Part 1. – *S. C. Sommers and P. P. Rosen (Editors)* 309
Pathology of Glomerular Disease – *S. Rosen (Editor)* 200
Pharmacognosy. 12th Edition – *G. E. Trease and W. C. Evans* 316
Practical Illustrated Histology. Revised Edition – *N. A. Ratcliffe* 418
Principles and Practice of Blood Gas Analysis. 2nd Edition – *A. P. Adams and C. E. W. Hahn* 309
Principles and Techniques of Surgical Pathology – *W. A. Schmidt* 90
Quality Assurance Practices for Health Laboratories – *S. L. Inhorn (Editor)* 95
Recent Advances in Clinical Virology – *A. P. Waterson (Editor)* 317
Recombinant DNA, Part C. Methods in Enzymology. Vol. 101 – *R. Wu, L. Grossman, K. Moldave (Editors)* 197
Renal Transplantation: a Clinical Handbook – *R. F. M. Woods* 315
Saunders Dictionary and Encyclopaedia of Laboratory Medicine and Technology – *J. L. Bennington (Editor)* 318
Scanning Nature – *D. Claugher* 203
The Cobalamins – *C. A. Hall (Editor)* 311
The Drugs Handbook 1983–4. 3rd Edition – *P. Turner and G. Volans* 317
The Performance, Installation, Testing and Limitations of Microbiological Safety Cabinets – *R. P. Clark* 94
The Physiology of Hemostasis – *D. Ogston* 199
The Pre-Computer Book – *F. A. Wilson* 313
Transmission Electron Microscopy – Methods of Application – *D. K. Racker* 95
Viral Hepatitis. 2nd International Workshop. Stirling, Scotland, 1–3 September 1982 – *R. Hopkins and S. Field (Editors)* 204
White Cell Manual. 4th Edition – *D. A. Boggs and A. Winkelstein* 93
Writing with a Word Processor – *W. Zinsser* 314

C

Calcitonin. The development, evaluation and application of a sensitive radioimmunoassay for human 81
Canine antiglobulin test. The 63
Carcinoplacental alkaline phosphatase. Immunoenzymatic assay of 29
Cefotaxime in plasma by high pressure liquid chromatography. Determination of 299
Cell kinetics: evaluation of an *in vitro* method of study. Oral epithelial 121
Centrifugal analyzer. Measurement of erythrocyte glucose-6-phosphate dehydrogenase activity using 112
Cephalosporins. Properties of some of the newer 279
Characteristics of *Moraxella bovis*. An investigation into the 417
Characterization of *Herpes simplex* viral DNA using ^{3}H-tymidine and restriction enzyme digestion analysis 73
8-Chlorotheophylline as internal standard. A simple HPLC method for the determination of urate in serum and urine using 108
Chromatography. Determination of Cefotaxime in plasma by high pressure liquid 299
Chromatography as a potential means for detecting and identifying bacteria in blood cultures. Head-space gas 192
Clinical aspects of steroid receptor assays 257
Clinical assessment of ICA 1 (Radiometer) in a special care baby unit 195
Clinical chemistry equipment outside laboratories 99
Clinical chemistry methods for developing countries. Simplified manual high performance . . . 327
Coagglutination technique. Beta haemolytic streptococci: single colony grouping by a rapid, simplified 52
Coagulation. A rapid-return regional quality assurance scheme for 219
Coagulation testing. Quality assurance in haematology and blood 207
Cofactor: experience with a platelet counting technique. Assay of ristocetin 38
Collection tubes. Evacuated blood 307
Computer controlled automated reading of blood groups using microplates 19
Computerizing bone marrow aspirate reports. A simple questionnaire for use in 291

Congenital malformations: are they preventable? . . . 179
Continuous-flow analysis of total protein in urine. Automated . . . 66
Contraceptives and intrauterine coil devices on certain rheological factors. The effect of oral . . . 189
Corning 'Immo Phase' cortisol radioimmunoassay. Specificity of the . . . 307
Cortisol radioimmunoassay. Specificity of the Corning 'Immo Phase' . . . 307
Coulter™ electronic particle counters. A whole blood control for . . . 209
Counters. A whole blood control for Coulter™ electronic particle . . . 209
Courses in medical laboratory sciences for overseas students: a retrospective view . . . 337
Creatinine levels in diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser. Plasma . . . 185
Culture of legionella . . . 71

D

Demonstration of eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method . . . 288
Density gradient (Percoll): application for separating normal lymphocyte populations. Discontinuous . . . 134
Detection of heat-labile enterotoxins of *Escherichia coli* using the Biken test . . . 146
Developing countries: common problems in establishment and suggested solutions. Radioimmunoassay laboratories in . . . 357
Developing countries. Enteric microbiology methods for laboratories in . . . 348
Developing countries. Haematology services in . . . 389
Developing countries: necessity or status symbol? Medical laboratory services in . . . 365
Developing countries. Optimal use of blood in . . . 382
Developing countries. Provision of blood transfusion services in . . . 321
Developing countries. Provision of laboratory services in . . . 319
Developing countries. Simplified manual high performance clinical chemistry methods for . . . 327
Developing countries. Tuberculosis bacteriology in . . . 400
Development, evaluation and application of a sensitive radioimmunoassay for human calcitonin. The . . . 81
Diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser. Plasma creatinine levels in . . . 185
Diagnosis of pancreatic disease. An investigation of the usefulness of the amylase creatinine clearance ratio in the differential . . . 77
Diagnostic methods. Immunoreactivity of serine protease inhibitors: implications for . . . 140
Diploid fibroblasts. Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human . . . 150
Direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia . . . 232
Discontinuous density gradient (Percoll): application for separating normal lymphocyte populations. . . . 134
Distant blood transfusion support in the emergency situation . . . 386
DNA using ^{3}H-thymidine and restriction enzyme digestion analysis. Characterization of *Herpes simplex* viral . . . 73

E

Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and fibrin polymerization . . . 226
Effect of oral contraceptives and intrauterine coil devices on certain rheological factors . . . 189
Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human diploid fibroblasts . . . 150
Electronic particle counters. A whole blood control for Coulter™ . . . 209
Electrophoresis for polyclonal increases in gamma-globulins. Protein . . . 85
Embedding and ultrastructural study of migrating leukocytes within filter membranes. Microchemotaxis: a procedure for . . . 302
Emergency situation. Distant blood transfusion support in the . . . 386
Enclosed fixative preparation system . . . 285
Enteric microbiology methods for laboratories in developing countries . . . 348
Enterotoxins of *Escherichia coli* using the Biken test. Detection of heat-labile . . . 146
Enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia. A direct . . . 232

Eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method. Demonstration of . . . 288
Epithelial cell kinetics: evaluation of an *in vitro* method of study. Oral . . . 121
EQA samples. External quality assessment: the effect and implications of favourable treatment of . . . 295
Equipment outside laboratories. Clinical chemistry . . . 99
Erythrocyte glucose-6-phosphate dehydrogenase activity using a centrifugal analyzer. Measurement of . . . 112
Escherichia coli using the Biken test. Detection of heat-labile enterotoxins of . . . 146
Evacuated blood collection tubes . . . 307
Evacuated blood collection tubes: a cautionary note . . . 86
Exopeptidases of cultured human diploid fibroblasts. Effects of mycoplasma contamination on the intra-cellular free amino acid pool and . . . 150
External quality assessment: the effect and implications of favourable treatment of EQA samples . . . 295

F

Factor VII. Investigation of the influence of lipid concentration in plasma on the measurement of . . . 191
Factor VIII and hepatitis B surface antigen. Binding interaction between human . . . 46
Farmer's lung disease. *Micropolyspora faeni* in . . . 86
Ferritin estimation: comparative studies of a new non-isotopic kit. Serum . . . 127
Fetal haemoglobin and its use in determining the distribution of HbF in the British population. The development of a radioimmunoassay for the measurement of . . . 84
Fibrin polymerisation. Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and . . . 226
Fibroblasts. Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human diploid . . . 150
Filter membranes. Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within . . . 302
Fixative preparation system. An enclosed . . . 285

G

Gamma-globulins. Protein electrophoresis for polyclonal increases in. . . . 85
Gas chromatography as a potential means for detecting and identifying bacteria in blood cultures. Head-space . . . 192
Glucose-6-phosphate dehydrogenase activity using a centrifugal analyzer. Measurement of erythrocyte . . . 112
Grouping by a rapid, simplified coagglutination technique. Beta haemolytic streptococci: single colony . . . 52

H

Haematological staining methods using potassium iodide . . . 35
Haematology and blood coagulation testing. Quality assurance in. . . . 207
Haematology services in developing countries . . . 389
Haemoglobin and its use in determining the distribution of HbF in the British population. The development of a radioimmunoassay for the measurement of fetal . . . 84
Haemoglobinometer. A new portable . . . 414
Haemolytic streptococci: single colony grouping by a rapid, simplified coagglutination technique. Beta . . . 52
HbF in the British population. The development of a radioimmunoassay for the measurement of fetal haemoglobin and its use in determining the distribution of . . . 84
Head-space gas chromatography as a potential means for detecting and identifying bacteria in blood cultures . . . 192
Heat-labile enterotoxins of *Escherichia coli* using the Biken test. Detection of . . . 146
Hepatitis B surface antigen. Binding interaction between human factor VIII and . . . 46
HEPES on the thrombin clotting time and fibrin polymerisation. Effect of . . . 226
Herpes simplex viral DNA using ^{3}H-thymidine and restriction enzyme digestion analysis. Characterization of . . . 73

High pressure liquid chromatography. Determination of Cefotaxime in plasma by 229
Hormone iodination. Studies in 80
HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard. A simple 108
Human calcitonin. The development, evaluation and application of a sensitive radioimmunoassay for 81
Human diploid fibroblasts. Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured 150
Human factor VIII and hepatitis B surface antigen. Binding interaction between 46
Hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and fibrin polymerisation. Effect of 226

I

ICA 1 (Radiometer) in a special care baby unit. Clinical assessment of 195
'Immo Phase' cortisol radioimmunoassay. Specificity of the Corning 307
Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system 238
Immunoenzymatic assay of carcinoplacental alkaline phosphatase 29
Immunogold and immunoperoxidase compared using a new post-embedding system. Immunoelectron microscopy 238
Immunoperoxidase compared using a new post-embedding system. Immunoelectron microscopy: immunogold and 238
Immunoreactivity of serine protease inhibitors: implications for diagnostic methods 140
Intensive care. Measurement of the oxygen dissociation curve and its application in perinatal . . . 83
Intrauterine coil devices on certain rheological factors. The effect of oral contraceptives and . . . 189
Investigation of the influence of lipid concentration in plasma on the measurement of Factor VII 191
Iodination. Studies in hormone 80

K

Ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser. Plasma creatinine levels in diabetic 185
Kinetics: evaluation of an *in vitro* method of study. Oral epithelial cell 121

L

Laboratories in developing countries: common problems in establishment and suggested solutions. Radioimmunoassay 357
Laboratories in developing countries. Enteric microbiology methods for 348
Laboratory. Lymphocyte surface marker techniques in the routine pathology 246
Laboratory sciences for overseas students: a retrospective view. Courses in medical 337
Laboratory services in developing countries: necessity or status symbol? Medical 365
Laboratory services in developing countries. Provision of 319
Laboratory tests: where should they be performed? 97
Legionella. Culture of 71
Leukemia-associated antigens: recent advances in detection, characterization and diagnostic usefulness 55
Lipid concentration in plasma on the measurement of Factor VII. Investigation of the influence of 191
Localization of tumours using radiolabelled antibodies 267
Lung disease. *Micropolyspora faeni* in farmer's 86
Lymphocyte populations. Discontinuous density gradient (Percoll): application for separating normal 134
Lymphocyte surface marker techniques in the routine pathology laboratory 246

M

McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system. The new 3
Malformations: are they preventable? Congenital 179

Marker techniques in the routine pathology laboratory. Lymphocyte surface 246
Measurement of erythrocyte glucose-6-phosphate dehydrogenase activity using a centrifugal analyzer 112
Medical laboratory services in developing countries: necessity or status symbol? 365
Medical laboratory sciences for overseas students; a retrospective view. Courses in 337
Methacrylate-embedded tissue: a new method. Demonstration of eosinophil polymorph granules in sections of paraffin- and 288
Microbiology methods for laboratories in developing countries. Enteric 348
Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes 302
Microplates. Computer controlled automated reading of blood groups using 19
Micropolyspora faeni in farmer's lung disease 86
Migrating leukocytes within filter membranes. Microchemotaxis: a procedure for embedding and ultrastructural study of 302
Monoclonal anti-A. Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with 12
Moraxella bovis. An investigation into the characteristics of 417
Multiple authorship of scientific papers 1
Mycobacterium africanum and the 'African' tubercle bacilli 410
Mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human diploid fibroblasts. Effects of 150

O

Optimal use of blood in developing countries 382
Oral contraceptives and intrauterine coil devices on certain rheological factors. The effect of . . . 189
Oral epithelial cell kinetics: evaluation of an *in vitro* method of study 121
Organic aciduria 79
Overseas students: a retrospective view. Courses in medical laboratory sciences for. 337
Oxygen dissociation curve and its application in perinatal intensive care. Measurement of the . . . 83
Oxygen is poisonous: the nature and medical importance of oxygen radicals 157

P

Pancreatic disease. An investigation of the usefulness of the amylase creatinine clearance ratio in the differential diagnosis of 77
Paraffin- and methacrylate-embedded tissue: a new method. Demonstration of eosinophil polymorph granules in sections of 288
Pathology laboratory. Lymphocyte surface marker techniques in the routine 246
(Percoll); application for separating normal lymphocyte populations. Discontinuous density gradient 134
Perinatal intensive care. Measurement of the oxygen dissociation curve and its application in . . . 83
Phospholipid patterns during pregnancy. Serum 78
Plasma creatinine levels in diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser 185
Plasma by high pressure liquid chromatography. Determination of Cefotaxime in 299
Plasma on the measurement of Factor VII. Investigation of the influence of lipid concentration in 191
Platelet counting technique. Assay of ristocetin cofactor: experience with a 38
Platelet membrane components on platelet aggregation *in vitro*. The effect of antibodies directed against 82
Polyclonal increases in gamma-globulins. Protein electrophoresis for 85
Portable haemoglobinometer. A new 414
Post-embedding system. Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new 238
Postoperative deep vein thrombosis. A technical appraisal of thrombelastography and its use in predicting the tendency of surgical patients to develop 194
Potassium iodide. Haematological staining methods using 35
Pregnancy. Serum phospholipid patterns during 78
Pre-transfusion testing. Semi automated solid phase adherence assays for 374
Properties of some of the newer cephalosporins 279

Protein electrophoresis for polyclonal increases in gamma-globulins 85
Protein in urine. Automated continuous-flow analysis of total 66
Provision of blood transfusion services in developing countries 321
Provision of laboratory services in developing countries 319

Q

Quality assessment: the effect and implications of favourable treatment of EQA samples. External 295
Quality assurance in haematology and blood coagulation testing 207
Quality assurance scheme for coagulation. A rapid-return regional 219
Quality control with automated blood grouping. 87
Questionnaire for use in computerizing bone marrow aspirate reports. A simple 291

R

Radioimmunoassay for human calcitonin. The development, evaluation and application of a sensitive 81
Radioimmunoassay laboratories in developing countries: common problems in establishment and suggested solutions 357
Radioimmunoassay for the measurement of fetal haemoglobin and its use in determining the distribution of HbF in the British population 84
Radioimmunoassay. Specificity of the Corning 'Immo Phase' cortisol 307
Radiolabelled antibodies. Localization of tumours using 267
Rapid-return regional quality assurance scheme for coagulation 219
Red cell autoantibodies in auto-immune haemolytic anaemia. A direct enzyme-linked antiglobulin test for detection of 232
Restriction enzyme digestion analysis. Characterization of *Herpes simplex* viral DNA using ^{3}H-thymidine and 73
Rheological factors. The effect of oral contraceptives and intrauterine coil devices on certain . . 189
Ristocetin cofactor: experience with a platelet counting technique. Assay of 38

S

Scientific papers. Multiple authorship of 1
Screening: necessity or extravagance. Antithrombin III 262
Semi automated solid phase adherence assays for pre-transfusion testing. 374
Serine protease inhibitors: implications for diagnostic methods. Immunoreactivity of 140
Serum ferritin estimation: comparative studies of a new non-isotopic kit 127
Serum phospholipid patterns during pregnancy 78
Serum and urine using 8-chlorotheophylline as internal standard. A simple HPLC method for the determination of urate in 108
Simple HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard. 108
Simplified manual high performance clinical chemistry methods for developing countries. . . . 327
Single radial haemolysis technique for the demonstration of viral antibody. Assessment of the . . 193
Solid phase adherence assays for pre-transfusion testing. Semi automated 374
Specificity of the Corning 'Immo Phase' cortisol radioimmunoassay 307
Staining methods using potassium iodide. Haematological 35
Steroid receptor assays. Clinical aspects of 257
Streptococci: single colony grouping by a rapid, simplified coagglutination technique. Beta haemolytic 52

T

Technical appraisal of thrombelastography and its use in predicting the tendency of surgical patients to develop postoperative deep vein thrombosis 194
Thrombelastography and its use in predicting the tendency of surgical patients to develop postoperative deep vein thrombosis. A technical appraisal of 194

Thrombin clotting time and fibrin polymerisation. Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the 226
Thrombosis. A technical appraisal of thrombelastography and its use in predicting the tendency of surgical patients to develop postoperative deep vein 194
^{3}H-thymidine and restriction enzyme digestion analysis. Characterization of *Herpes simplex* viral DNA using 73
Today's antibiotics – the way ahead 173
Tubercle bacilli. *Mycobacterium africanum* and the 'African' 410
Tuberculosis bacteriology in developing countries 400
Tumours using radiolabelled antibodies. Localization of 267

U

Ultrastructural study of migrating leukocytes within filter membranes. Microchemotaxis: a procedure for embedding and 302
Urate in serum and urine using 8-chlorotheophylline as internal standard. A simple HPLC method for the determination of 108
Urine. Automated continuous-flow analysis of total protein in 66
Urine using 8-chlorotheophylline as internal standard. A simple HPLC method for the determination of urate in serum and. 108

V

Viral antibody. Assessment of the single radial haemolysis technique for the demonstration of . . 193

W

Whole blood control for Coulter^{TM} electronic particle counters 209

Y

York, Cost, McCoy, Knops blood group system. The new McCoy antigen McC^{e}: further expansion of the 3

INDEX OF SUBJECT INTERESTS

Blood Transfusion

Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A . . . 12
Canine antiglobulin test. The . . . 63
Computer controlled automated reading of blood groups using microplates . . . 19
Direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia . . . 232
Distant blood transfusion support in the emergency situation . . . 386
New McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system. The . . . 3
New portable haemoglobinometer. A . . . 414
Optimal use of blood in developing countries . . . 382
Provision of blood transfusion services in developing countries . . . 321
Semi automated solid phase adherence assays for pre-transfusion testing. . . . 374

Cellular Pathology

Demonstration of eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method . . . 288
Enclosed fixative preparation system. An . . . 285
Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system . . . 238
Localization of tumours using radiolabelled antibodies . . . 267
Oral epithelial cell kinetics: evaluation of an *in vitro* method of study . . . 121
Simple questionnaire for use in computerizing bone marrow aspirate reports . . . 291

Clinical Chemistry

Automated continuous-flow analysis of total protein in urine . . . 66
Clinical aspects of steroid receptor assays . . . 257
Clinical chemistry equipment outside laboratories . . . 99
Determination of Cefotaxime in plasma by high pressure liquid chromatography . . . 299
Development, evaluation and application of a sensitive radioimmunoassay for human calcitonin. The . . . 81
External quality assessment: the effect and implications of favourable treatment of EQA samples . . . 295
Immunoenzymatic assay of carcinoplacental alkaline phosphatase . . . 29
Investigation of the usefulness of the amylase creatinine clearance ratio in the differential diagnosis of pancreatic disease. An . . . 77
Measurement of erythrocyte glucose-6-phosphate dehydrogenase activity using a centrifugal analyser . . . 112
Organic aciduria . . . 79
Plasma creatinine levels in diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser . . . 185
Serum phospholipid patterns during pregnancy . . . 78
Simple HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard. A . . . 108
Simplified manual high performance clinical chemistry methods for developing countries. . . . 327
Studies in hormone iodination . . . 80

Data Processing

Computer controlled automated reading of blood groups using microplates . . . 19
Simple questionnaire for use in computerizing bone marrow aspirate reports . . . 291

Education and Training

Courses in medical laboratory sciences for overseas students: a retrospective view . . . 337

Haematology

Antithrombin III screening: necessity or extravagance . . . 262
Assay of ristocetin cofactor: experience with a platelet counting technique . . . 38
Binding interactions between human factor VIII and hepatitis B surface antigen . . . 46

Development of a radioimmunoassay for the measurement of fetal haemoglobin and its use in determining the distribution of HbF in the British population. The 84
Direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia 232
Discontinuous density gradient (Percoll): application for separating normal lymphocyte populations. 134
Effect of antibodies directed against platelet membrane components on platelet aggregation *in vitro*. The 82
Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and fibrin polymerization 226
Effect of oral contraceptives and intrauterine coil devices on certain rheological factors. The . . . 189
Haematological staining methods using potassium iodide 35
Haematology services in developing countries 389
Immunoreactivity of serine protease inhibitors: implications for diagnostic methods 140
Investigation of the influence of lipid concentration in plasma on the measurement of factor VII 191
Leukemia-associated antigens: recent advances in detection, characterization and diagnostic usefulness 55
Measurement of the oxygen dissociation curve and its application in perinatal intensive care . . . 83
New portable haemoglobinometer. A 414
Non-aspiration method for erythrocyte filterability measurement. A 68
Rapid-return regional quality assurance scheme for coagulation. A 219
Serum ferritin estimation: comparative studies of a new non-isotopic kit 127
Technical appraisal of thrombelastography and its use in predicting the tendency of surgical patients to develop postoperative deep vein thrombosis. A 194
Whole blood control for Coulter™ electronic particle counters. A 209

Immunology

Discontinuous density gradient (Percoll): application for separating normal lymphocyte populations. 134
Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system 238
Immunoreactivity of serine protease inhibitors: implications for diagnostic methods 140
Localization of tumours using radiolabelled antibodies 267
Lymphocyte surface marker techniques in the routine pathology laboratory 246
Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes 302

Management

Medical laboratory services in developing countries: necessity or status symbol? 365

Microbiology

Beta haemolytic streptococci: single colony grouping by a rapid, simplified coagglutination technique 52
Culture of legionella 71
Detection of heat-labile enterotoxins of *Escherichia coli* using the Biken test 146
Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human diploid fibroblasts 150
Enteric microbiology methods for laboratories in developing countries 348
Head-space gas chromatography as a potential means for detecting and identifying bacteria in blood cultures 192
Investigation into the characteristics of *Moraxella bovis*. An 417
Mycobacterium africanum and the 'African' tubercle bacilli 410
Properties of some of the newer cephalosporins 279
Today's antibiotics – the way ahead 173
Tuberculosis bacteriology in developing countries 400

Microscopy

Demonstration of eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method 288
Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system 238
Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes 302

Physiology
Oxygen is poisonous: the nature and medical importance of oxygen radicals 157

Radioimmunoassay
Radioimmunoassay laboratories in developing countries: common problems in establishment and suggested solutions 357

Virology
Assessment of the single radial haemolysis technique for the demonstration of viral antibody . . 193
Binding interaction between human factor VIII and hepatitis B surface antigen. 46
Characterization of *Herpes simplex* viral DNA using ^{3}H-thymidine and restriction enzyme digestion analysis 73

AUTHOR INDEX

A

Ali, A. (see Seaton, B.). Simplified manual high performance clinical chemistry methods for developing countries 327
Ali-Briggs, E. F. (Thesis summary). The effect of antibodies directed against platelet membrane components on platelet aggregation *in vitro* 82
Allen, B. W. Tuberculosis bacteriology in developing countries 400
Al-Rubei, K. and Hill, F. G. H. Discontinuous density gradient (Percoll): application for separating normal lymphocyte populations 134

B

Baker, M. A. (see Hyland, G. L.). Leukemia-associated antigens: recent advances in detection, characterization and diagnostic usefulness 55
Barbara, J. A. J. and Howell, D. T. Reply to "Evacuated blood collection tubes" 308
Barbara, J. A. J. (see Howell, D. R.). Evacuated blood collection tubes: a cautionary note . . . 86
Barnes, I., James, J., Mayne, P. D. and Kovar, I. Z. Clinical assessment of ICA 1 (Radiometer) in a special care baby unit 195
Barry, A. P. and Clarke, J. W. Courses in medical laboratory sciences for overseas students: a retrospective view 337
Beck, M. L., Rachel, J. M., Sinor, L. T. and Plapp, F. V. Semi automated solid phase adherence assays for pre-transfusion testing 374
Belfield, A. (see Mabon, J.). Immunoenzymatic assay of carcinoplacental alkaline phosphatase . . 29
Bell, M. A. (Thesis summary). The development, evaluation and application of a sensitive radioimmunoassay for human calcitonin 81
Bennett, M. J., Patchett, B. P. and Worthy, E. A simple HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard 108
Bird, A. R., Sacks, R. and Smith, A. Assay of ristocetin cofactor: experience with a platelet counting technique 38
Blank, D. (see Nanji, A. A.). Protein electrophoresis for polyclonal increase in gamma-globulins . . 85
Borrill, L. A. (Thesis summary). An investigation of the usefulness of the amylase creatinine clearance ratio in the differential diagnosis of pancreatic disease 77
Bowley, A. R., Gordon, I. and Ross, D. W. Computer controlled automated reading of blood groups using microplates 19
Bradwell, A. R., Fairweather, D. S. and Dykes, P. W. Localization of tumours using radiolabelled antibodies 267
Browning, D. M., Cowell, D. C., Kilshaw, D., Knowles, D., Randall, J. and Singer, R. Clinical chemistry equipment outside laboratories 99

C

Campbell, A. R. (see Edwards, F. P.). An enclosed fixative preparation system 285
Cardwell, M. (see Ridway, J. C.). Lymphocyte surface marker techniques in the routine pathology laboratory 246
Chan, C. K. Measurement of erythrocyte glucose-6-phosphate dehydrogenase activity using a centrifugal analyzer 112
Clarke, Sir C. Congenital malformations: are they preventable? 179
Clarke, J. W. (see Barry, A. P.). Courses in medical laboratory sciences for overseas students: a retrospective view 337
Collins, C. H. Evacuated blood collection tubes 307
Collins, C. H. and Yates, M. D. *Mycobacterium africanum* and the 'African' tubercle bacilli . . . 410
Cornwall, J. B. (see Woodfield, D. G.). A new portable haemoglobinometer 414
Cowell, D. C. (see Browning, D. M.). Clinical chemistry equipment outside laboratories 99
Crocker, J. (see Smith, P. J.). Demonstration of eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method 288

D

Dabbs, D. J. W. and Pease, A. A. Beta haemolytic streptococci: single colony grouping by a rapid, simplified coagglutination technique 52
Deamer, I. D. K. (Thesis summary). Organic aciduria 79
Delamore, I. W. (see Waters, H. M.). Serum ferritin estimation: comparative studies of a new non-isotopic kit 127
Dykes, P. W. (see Bradwell, A. R.). Localization of tumours using radiolabelled antibodies . . . 267

E

Edwards, F. P. and Campbell, A. R. An enclosed fixative preparation system 285

F

Fairweather, D. S. (see Bradwell, A. R.). Localization of tumours using radiolabelled antibodies . . 267
Farr, A. D. (Leading article). Laboratory tests: where should they be performed? 97
Farr, A. D. (Leading Article). Multiple authorship of scientific papers 1
Fenwick, M. (Thesis summary). Assessment of the single radial haemolysis technique for the demonstration of viral antibody 193
Flanagan, N. G. (see Ridway, J. C.). Lymphocyte surface marker techniques in the routine pathology laboratory 246
Francis, D. A. (see Francis, J. L.). Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and fibrin polymerisation 226
Francis, J. L. and Francis, D. A. Effect of hydroxyethylpiperazine N-2 ethane sulphonic acid (HEPES) on the thrombin clotting time and fibrin polymerisation 226
Fraser, J. (Thesis summary). An investigation into the characteristics of *Moraxella bovis* 417

G

George, A. J. A rapid-return regional quality assurance scheme for coagulation 219
Giddings, J. C. (Leading article). Quality assurance in haematology and blood coagulation testing 207
Goddard, W. W. (Thesis summary). Head-space gas chromatography as a potential means for detecting and identifying bacteria in blood cultures. 192
Gordon, I. (see Bowley, A. R.). Computer controlled automated reading of blood groups using microplates 19
Greatorex, B. *Micropolyspora faeni* in farmer's lung disease 86

H

Halliwell, B. (Review article). Oxygen is poisonous: the nature and medical importance of oxygen radicals 157
Hammond, E. M., Legge, M. and MacLean, A. B. Determination of Cefotaxime in plasma by high pressure liquid chromatography 299
Hartwell, G. (see Molthan, L.). The new McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system. 3
Hill, F. G. H. (see Al-Rubei, K.). Discontinuous density gradient (Percoll): application for separating normal lymphocyte populations 134
Houang, L. (Leading article). Provision of laboratory services in developing countries 319
Howell, D. R. and Barbara, J. A. J. Evacuated blood collection tubes: a cautionary note 86
Howell, D. R. (see Barbara, J. A. J.). Reply to "Evacuated blood collection tubes" 308
Hunt, A. (see Morgan, L. O.). A whole blood control for Coulter^{TM} electronic particle counters. . 209
Hurd, C. M., Madin, D. and Voak, D. Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A 12
Hyland, G. L. and Baker, M. A. (Review Article). Leukemia-associated antigens: recent advances in detection, characterization and diagnostic usefulness 55

J

James, H. (see McFarlane, E. S.). Characterization of *Herpes simplex* viral DNA using ^{3}H-thymidine and restriction enzyme digestion analysis 73
James, J. (see Barnes, I.). Clinical assessment of ICA 1 (Radiometer) in a special care baby unit . . 195
Jasani, B. (see Newman, G. R.). Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system 238
Jennings, S. A. (Thesis summary). A technical appraisal of thrombelastography and its use in predicting the tendency of surgical patients to develop postoperative deep vein thrombosis 194
Johnson-Taylor, R. (see Martin, P. J.). A simple questionnaire for use in computerizing bone marrow aspirate reports 291
Jones, D. R. E. The canine antiglobulin test 63

K

Kaan, J. A., Verweij, A. M. J. and Maclaren, D. M. Culture of legionella 71
Kang, E. P. and O'Neill, S. P. Binding interaction between human factor VIII and hepatitis B surface antigen 46
Kilshaw, D. (see Browning, D. M.). Clinical chemistry equipment outside laboratories 99
Knowles, D. (see Browning, D. M.). Clinical chemistry equipment outside laboratories 99
Kovar, I. Z. (see Barnes, I.). Clinical assessment of ICA 1 (Radiometer) in a special care baby unit 195

L

Lacey, R. W. Today's antibiotics – the way ahead 173
Laker, M. F. (see White, T. F.). Plasma creatinine levels in diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser 185
Leach, M. A direct enzyme-linked antiglobulin test for detection of red cell autoantibodies in auto-immune haemolytic anaemia 232
Leake, R. E. Clinical aspects of steroid receptor assays 257
Legge, M. (see Hammond, E. M.). Determination of Cefotaxime in plasma by high pressure liquid chromatography 299
Lockyer, W. J. Provision of blood transfusion services in developing countries 321
Lovric, V. A. Optimal use of blood in developing countries 382

M

Mabon, J., Pledger, D. R. and Belfield, A. Immunoenzymatic assay of carcinoplacental alkaline phosphatase 29
MacDonald, D. G. (see Rennie, J. S.). Oral epithelial cell kinetics: evaluation of an *in vitro* method of study 121
McFarlane, E. S. and James, H. Characterization of *Herpes simplex* viral DNA using ^{3}H-thymidine and restriction enzyme digestion analysis 73
McIntosh, L. C. (see McKinnon, A. D.). Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes 302
McKinnon, A. D., McIntosh, L. C. and Thomson, A. W. Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes . . . 302
Maclaren, D. M. (see Kaan, J. A.). Culture of legionella 71
MacLean, A. B. (see Hammond, E. M.). Determination of Cefotaxime in plasma by high pressure liquid chromatography 299
Madin, D. (see Hurd, C. M.). Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A 12
Maeda, H. (see Tatsumi, N.). A non-aspiration method for erythrocyte filterability measurement 68
Martin, P. J. and Johnson-Taylor, R. A simple questionnaire for use in computerizing bone marrow aspirate reports 291
Marzouk, W. (Thesis summary). The effect of oral contraceptives and intrauterine coil devices on certain rheological factors 189

Mayne, P. D. (see Barnes, I.). Clinical assessment of ICA 1 (Radiometer) in a special care baby unit 195
Molthan, L., Moores, P. and Hartwell, G. The new McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system 3
Moores, P. (see Molthan, L.). The new McCoy antigen McC^e: further expansion of the York, Cost, McCoy, Knops blood group system 3
Morgan, L. O. and Hunt, A. A whole blood control for Coulter^{TM} electronic particle counters . . 209

N

Nanji, A. A. and Blank, D. Protein electrophoresis for polyclonal increases in gamma-globulins . . 85
Newman, G. R. and Jasani, B. Immunoelectron microscopy: immunogold and immunoperoxidase compared using a new post-embedding system 238
Niblock, S. (Thesis summary). Serum phospholipid patterns during pregnancy 78

O

O'Callaghan, C. H. Properties of some of the newer cephalosporins 279
O'Malley, A. H. and Penney, M. D. Automated continuous-flow analysis of total protein in urine 66
O'Neill, S. P. (see Kang, E. P.). Binding interaction between human factor VIII and hepatitis B surface antigen 46

P

Palmer, G. T. (see Woodfield, D. G.). A new portable haemoglobinometer 414
Parvez, Z. Immunoreactivity of serine protease inhibitors: implications for diagnostic methods . . 140
Patchett, B. P. (see Bennett, M. J.). A simple HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard 108
Pease, A. A. (see Dabbs, D. J. W.). Beta haemolytic streptococci: single colony grouping by a rapid, simplified coagglutination technique 52
Penney, M. D. (see O'Malley, A. H.). Automated continuous-flow analysis of total protein in urine 66
Pereira, A. B. C. Haematological staining methods using potassium iodide 35
Piyasena, R. D. Radioimmunoassay laboratories in developing countries: common problems in establishment and suggested solutions 357
Plapp, F. V. (see Beck, M.L.). Semi automated solid phase adherence assays for pre-transfusion testing. 374
Pledger, D. R. (see Mabon, J.). Immunoenzymatic assay of carcinoplacental alkaline phosphatase 29

Q

Quinn, J. (see Ridway, J. C.). Lymphocyte surface marker techniques in the routine pathology laboratory 246

R

Rachel, J. M. (see Beck, M. L.). Semi automated solid phase adherence assays for pre-transfusion testing. 374
Randall, J. (see Browning, D. M.). Clinical chemistry equipment outside laboratories 99
Rennie, J. S., MacDonald, D. G. and Warnakulasuriya, K. A. A. S. Oral epithelial cell kinetics: evaluation of an *in vitro* method of study 121
Ridway, J. C., Quinn, J., Cardwell, M. and Flanagan, N. G. Lymphocyte surface marker techniques in the routine pathology laboratory 246
Ross, D. W. (see Bowley, A. R.). Computer controlled automated reading of blood groups using microplates 19

Rumley, A. G. External quality assessment: the effect and implications of favourable treatment of EQA samples 295
Rutland, P. C. (Thesis summary). The development of a radioimmunoassay for the measurement of fetal haemoglobin and its use in determining the distribution of HbF in the British population 84

S

Sack, D. A. Enteric microbiology methods for laboratories in developing countries 348
Sacks, R. (see Bird, A. R.). Assay of ristocetin cofactor: experience with a platelet counting technique 38
Sage, H. J. (Thesis summary). Studies in hormone iodination 80
Sambuy, Y. Effects of mycoplasma contamination on the intra-cellular free amino acid pool and exopeptidases of cultured human diploid fibroblasts 150
Savage, G. A. (Thesis summary). Measurement of the oxygen dissociation curve and its application in perinatal intensive care 83
Scarisbrick, J. Specificity of the Corning 'Immo Phase' cortisol radioimmunoassay 307
Seaton, B. Medical laboratory services in developing countries: necessity or status symbol? . . . 365
Seaton, B. and Ali, A. Simplified manual high performance clinical chemistry methods for developing countries 327
Simmonds, V. J. (Thesis summary). Investigation of the influence of lipid concentration in plasma on the measurement of Factor VII 191
Singer, R. (see Browning, D. M.). Clinical chemistry equipment outside laboratories 99
Sinor, L. T. (see Beck, M. L.). Semi automated solid phase adherence assays for pre-transfusion testing 374
Smith, P. J. and Crocker, J. Demonstration of eosinophil polymorph granules in sections of paraffin- and methacrylate-embedded tissue: a new method 288
Smith, A. (see Bird, A. R.). Assay of ristocetin cofactor: experience with a platelet counting technique 38

T

Taberner, D. A. Antithrombin III screening: necessity or extravagance 262
Tatsumi, N., Tsuda, I., Maeda, H. and Tomioka, A. A non-aspiration method for erythrocyte filterability measurement 68
Thomson, A. W. (see McKinnon, A. D.). Microchemotaxis: a procedure for embedding and ultrastructural study of migrating leukocytes within filter membranes 302
Thornton, J. A. (see Waters, H. M.). Serum ferritin estimation: comparative studies of a new non-isotopic kit 127
Tomioka, A. (see Tatsumi, N.). A non-aspiration method for erythrocyte filterability measurement 68
Topley, E. Haematology services in developing countries 389
Tsuda, I. (see Tatsumi, N.). A non-aspiration method for erythrocyte filterability measurement . . 68
Twizell, R. J. (see Woodfield, D. G.). A new portable haemoglobinometer 414

V

Verweij, A. M. J. (see Kaan, J. A.). Culture of legionella 71
Voak, D. (see Hurd, C. M.). Automated blood grouping with Autogrouper 16C: inter-channel variations and the effect on detection of A_2B with monoclonal anti-A 12

W

Wagstaff, W. Q.C. with automated blood grouping 87
Warnakulasuriya, K. A. A. S. (see Rennie, J. S.). Oral epithelial cell kinetics: evaluation of an *in vitro* method of study 121
Waters, H. M., Thornton, J. A. and Delamore, I. W. Serum ferritin estimation: comparative studies of a new non-isotopic kit 127

White, T. F. and Laker, M. F. Plasma creatinine levels in diabetic ketosis: spurious elevation of levels using a kinetic reaction in a discrete analyser 185
Whitrow, W. Distant blood transfusion support in the emergency situation 386
Wigmore, J. A. Detection of heat-labile enterotoxins of *Escherichia coli* using the Biken test . . . 146
Wilson, W. J. (see Woodfield, D. G.). A new portable haemoglobinometer 414
Woodfield, D. G., Wilson, W. J., Twizell, R. J., Palmer, G. T. and Cornwall, J. B. A new portable haemoglobinometer 414
Worthy, E. (see Bennett, M. J.). A simple HPLC method for the determination of urate in serum and urine using 8-chlorotheophylline as internal standard 108

Y

Yates, M. D. (see Collins, C. H.). *Mycobacterium africanum* and the 'African' tubercle bacilli. . . 410